

# INDEX MAPS.

**T. 32 N. R. 2 E. 2<sup>nd</sup> Mer.**

									18			
	7	6	6	5	5	5	5	5	5	5	5	5
7	6	22	5	20	4	18	3	15	2	17	1	3
	24	22	20	17	15	13	11	9	7	5	3	1
8	7	22	8	19	9	17	10	15	11	20	12	4
	23	21	19	16	14	12	10	8	6	4	2	1
8	18	21	17	19	16	16	15	14	14	21	13	4
	23	20	18	16	14	12	10	8	6	4	2	1
8	19	28	20	26	21	33	22	31	23	12	24	4
	28	28	26	33	33	30	11	11	11	11	11	11
9	30	27	29	25	28	32	27	30	26	11	25	4
	27	26	25	32	31	29	10	10	10	10	10	10
9	31	26	32	25	33	31	34	29	35	9	36	5
	3	2	2	2	2	1	1	1	1	1	1	1

**T. 33 N. R. 2 E. 2<sup>nd</sup> Mer.**

	42	41	41	41	40	40	40	40	40	40	40	40
42	6	72	5	134	75	3	53	2	49	1	37	37
	72	72	65	75	53	52	49	49	49	49	49	49
43	7	71	8	64	9	14	10	52	11	48	12	38
	71	70	65	64	54	51	48	48	48	48	48	48
43	18	70	17	63	16	13	15	51	14	47	13	38
	70	69	63	62	51	50	50	50	50	50	50	50
43	19	69	20	62	21	59	22	16	23	47	24	38
	68	68	62	61	59	46	46	46	46	46	46	46
44	30	68	29	61	28	56	27	55	26	17	25	39
	67	67	60	60	56	54	54	54	54	54	54	54
44	31	67	32	59	33	55	34	54	35	18	36	39
	37	36	36	35	35	35	35	35	35	35	35	35

Meanders-73

The figures on the lines refer to the page.

Township N 33. North of Range N 2. East 1<sup>st</sup> Mer Indiana 35

South Boundary. Var. 6° 10' E.

- West On South Boundary of Sec. 30.  
 31. 10 A Sugar. 15. in. diam.  
 33. 47. A Buck 20. " "  
 40. 00 Set a q. Sec post. from which a  
 Sugar. 15. in. diam. bears N. 42°. W. 19. links dist. and a  
 Elm 8. " " " N. 15. E. 17. " "  
 47. 44. A Sugar. 15. in. diam.  
 65. 88. An B. Elm 19. " "  
 71. 53. Intersect the East Boundary of Michigan Road Lands  
 4. 20. links North of the S. E. Cor. of Sec. 18. Set a Post from which  
 a Buck 10. in. diam. bears S. 24. E. 40. links dist. & a  
 B. Walnut 30. " " " N. 10. E. 54. " "  
 80. 00 Set a Post Cor. to Sec. 35. & 36. from which a  
 Sugar. 28. in. diam. bears N. 87°. E. 41. links dist. & a  
 Buck 11. " " " N. 25. W. 15. " "  
 Land generally Rolling & 1<sup>st</sup> rate soil. Timber. Sugar. Buck.  
 Buckeye. Walnut. Elm. Ash. &c. Undergrowth. P. Ash. Spice  
 & Pawpaw.

- 
- West On South Boundary of Sec. 35.  
 19. 75. Center of Michigan Road. S 20. E.  
 73. 30. Intersect the West Boundary of Michigan Road Lands  
 492. links North of the S. W. Cor. of Sec. 18. Set a Post from which  
 an Elm 14. in. diam. bears S. 5°. W. 33. links dist. and a  
 W. Ash 29. " " " N. 87. W. 148. " "  
 80. 00 Set a Post Cor. to Sec. 34. & 35. from which a  
 Double W. Oak 16. in. diam. bears N. 10. E. 105. links dist.  
 & a Do. Do. — " " " N. 14°. W. 133. " "  
 Land mostly level and Low Soil 2<sup>nd</sup> rate. Timber. Oak. Buck.  
 Elm. Ash. &c. Brushy.

- 
- West On South Boundary of Sec. 34.  
 21. 24. A B. Oak 17. in. diam.  
 22. 00 A Tamarac. Swampy—  
 40. 00 Set a q. Sec post from which a



## T. 33. N. B. 2 E. 2nd. Men. Indiana.

- Tamarac. 13. in. diam. bears N 19. E. 1. 21. links dist. 8a  
 Birch 14 " " " West. 34 " "  
 57. 50 Leave Tamarac & enter open Marsh.  
 63. 50 A Brook 4. links wide. Cor. S. W.  
 70. 00 Same 4. " " " N. W.  
 76. 00 Same 4. " " " S. W.  
 79. 75 Leave the Marsh.  
 80. 00 Set a Post Cor to Sec. 33. & 34. from which a  
 W. Oak 30. in. diam. bears N. 76 3/4. W. 1. 33. links dist. 8a  
 Sp. Oak 17. " " " N. 46 1/2. W. 96. " "  
 Upland. Rolling & Gravelly. Timber, Oak. Underg<sup>d</sup> Sap<sup>d</sup> firs.

- West On South Boundary of Sec. 33.  
 11. 00 Marsh.  
 16. 50 Leave it. Arms of the Main Marsh  
 24. 00 To Marsh that lies to the South.  
 30. 00 Leave Do.  
 33. 00 Marsh  
 40. 00 Set a q. Sec. post from which a  
 Sp. Oak 19. in. diam. bears N. 47. E. 19. links dist. 8a  
 Do. 20. " " " N. 88. W. 56. " "  
 42. 00 Leave the Marsh.  
 49. 50 Marsh again  
 70. 50 A Brook 20. links wide. Cor. N. W.  
 75. 50 Leave Marsh  
 76. 55 A W. Oak 16. in. diam.  
 81. 00 Set a Post Cor. to Sec. 32. & 33. from which a  
 W. Oak 19. in. diam. bears N. 32. E. 31. links dist. 8a  
 Do. 18. " " " N. 33 1/2. W. 98. " "  
 Land &c. similar.

- West On South Boundary of Sec. 32.  
 17. 25 A Sugar 24. in. diam.  
 18. 50 A Brook 8. links wide. Cor. North.  
 40. 00 Set a q. Sec. post. from which a  
 W. Oak 17. in. diam. bears N. 16. E. 48. links dist. 8a

- W. Oak 24. in. diam. bears N. 61. W. 26 links dist, & a  
 43. 00 Old Road from Logansport to St. Josephs Co. North.  
 56. 80. A W. Oak 12. in. diam.  
 71. 86. An Ironwood 13. " "  
 80. 00 Set a Post Cor. to Sec. 31. & 32. from which a  
 Elm 11. in. diam. bears N. 70. E. 19 links dist, and a  
 W. Oak 32. " " " N. 75. W. 31. " "  
 Land Rolling & good soil. Timber mostly Oak. but in some  
 places a good deal of Elm. Ash. Walnut & Sugar. Undergrowth  
 Huckle. Sapasras &c.

- West On South Boundary of Sec. 31.  
 28. 11. A Poplar 29. in. diam.  
 5. 50 An Indian Trail. Co. North.  
 110. 00 Set a q. Sec. post in snail. from which a  
 Maple 15. in. diam. bears N. 87. W. 34 links dist, and a  
 Elm 12. " " " N. 28. E. 54 " "  
 67. 22. A W. Oak 24 in. "  
 80. 25. Intersect the West Boundary. & Set a Post Cor. to Towns 32 & 33.  
 N. of R. 1. & 2. E. where a  
 Poplar 15. in. diam. bears S. 55. E. 27 links dist, & a  
 B. Ash 15 " " " S. 51. W. 37. " "  
 Land &c. similar. but more Oak but not as Brushy.  
 War. 6. 10. E. Nov. 15. Cold. snowed. 1833

## East Boundary. Var. 6° 10' E.

- South On East Boundary of Sec. 1.  
 10. 84. A W. Ash 10. in. diam.  
 28. 60. A Buck 14. " "  
 45. 90. Set a q. Sec. post from which a  
 Maple 15. in. diam. bears N. 71. W. 72 links dist, and a  
 Sp. Oak 16. " " " S. 68. W. 22. " "  
 61. 00 To Willen Swamp.  
 65. 66. An Sp. Oak 15. in. diam.  
 71. 00 Leave the Swamp  
 76. 00 Same Willen Swamp-

## Twp. N. R. 2 E. 2nd Mer. Indiana.

85 90 Set a Post Cor. of Sec. 11 & 12. from which a  
 B. Ash 10. in diam. bears N. 33. W. 35 links disty & a  
 " Do. 12. " " " S. 24. W. 13. " "  
 Upland level. and some parts good soil. Mostly 2nd rate.  
 Timber. Buck. Oak. Ash. Lyrn. Elm. & some Walnut.  
 Underg<sup>g</sup> same. P. Ash. & Hick.

North On East Boundary of Sec. 12.  
 10 00 Set a q<sup>r</sup> Sec. post, from which an  
 Elm 14. in diam. bears N. 57. W. 30. 3. links disty & an  
 Aspen 15. " " " S. 74. W. 5. 57. " "  
 49. 34. An Aspen 15. in diam. & Large Willow Swamp. passed this  
 Terrible Swamp by an offset 6. 50. links to the West.  
 57. 07. A Buck 30. in diam.  
 80. 00 Set a Post Cor. to Sec. 12. & 13. from which a  
 W Oak 8. in diam. bears N. 49. W. 29. links disty & a  
 Buck 10. " " " S. 24. W. 16. " "  
 Upland & Swamp. similar.

North On East Boundary of Sec. 13.  
 6. 54. A W Oak 18. in diam. &  
 13. 57. To Willow Swamp. with some open Marsh.  
 36. 00 Large Marsh or Swamp.  
 110. 00 Set a q<sup>r</sup> Sec. post from which a  
 Poplar 16. in diam. bears N. 74. W. 20. links disty & an  
 Aspen 8. " " " S. 57. W. 18. " "  
 42. 01 Swamp.  
 51. 00 Large Do.  
 62. 33. A B. Oak 29. in diam.  
 80. 00 Set a Post Cor. to Sec. 13. & 24. from which a  
 Buck 14. in diam. bears N. 40. W. 27. links disty and a  
 Do. 9. " " " S. 72. W. 34. " "  
 Level & 2nd rate. some low. very Bushy. Timber mostly  
 Oak. Buck. & Poplar.

South On East Boundary of Sec. 24.



26. 55. An Elm 16. in. diam.  
 39. 00 An Indian Trail. Cor. N. A. N.  
 40. 00 Set a q. Sec. post from which a  
 Sugar 8. in. diam. bears N. 36. W. 27. links dist. and a  
 Do 8. " " " S. 58. W. 8. " "  
 An Indian village & field. N. 85. E. about 20. 11 from this  
 q. Sec. post.  
 61. 38. An H. Elm 12. in. diam.  
 69. 00 A W. Walnut 11. " "  
 80. 00 Set a Post Cor. to Sec. 24. & 25. from which a  
 B. Walnut 12. in. diam. bears N. 88. W. 74. links dist. & a  
 Sugar. 16. " " " S. 28 3/4. W. 69. " "  
 Except the North q. Sec. The Land is level & gently rolling.  
 rich in the extreme Timber, mostly Sugar. B. & W. Walnut.  
 Buckeye Ash & Elm. some Buck & Oak. Undergrowth.  
 P. Ash & Pampas.

- Smith On East Boundary of Sec. 25.  
 21. 80. A Spruce 28. in. diam.  
 40. 00 Set a q. Sec. post from which a  
 W. Walnut 8. in. diam. bears N. 5. W. 7. links dist. and a  
 Do 7. " " " S. 5. 42 1/2. " "  
 50. 99. An H. Elm 14. in. diam.  
 65. 34. A Sugar. 16. " "  
 80. 00 Set a Post Cor. to Sec. 25. & 36. from which a  
 Buckeye 10. in. diam. bears N. 75. W. 23. links dist. and a  
 Do 8. " " " S. 10 1/4. W. 25. " "  
 Land &c. same as last mile.

- Smith On East Boundary of Sec. 36.  
 6. 61. An Elm 20. in. diam.  
 17. 73. A Sugar 16. " "  
 23. 00 An Indian Trail. Cor. N. W.  
 40. 00 Set a q. Sec. post. from which an  
 Elm 13. in. diam. bears N. 32. W. 62. links dist. & a  
 Sugar 13. " " " S. 71 1/4. W. 37. " "



## T. 33. N. R. 2. E. 2nd Mer. Indiana.

65. 64. A Sugar 14. int diam.  
 71. 82. A Do 16. " "  
 80 00 Town Corner. Var. 6° 10' E.  
 Land &c. similar to the last mile. Nov. 14° 18' 33.

## North Boundary. Var. 6° 15' E.

- West On South Boundary of Sec. 30. T. 34. N. R. 2. E.  
 28. 00 Willen & rose Swamp  
 33. 50 Leave Do.  
 37. 97. A W. Oak 18. int. diam.  
 40 00 Set a q. Sec. post from which a  
 W. Oak 13. int. diam. bears N. 26° E. 22. links dist & a  
 " Do. 17. " " " N. 80° W. 40. " "  
 52. 35. A W. Oak 14. int. diam.  
 55. 00 Willen Swamp.  
 62. 00 Leave Do.  
 80. 00 Set a Post Cor. to Sec. 35. & 30. from which a  
 Sugar 16. int. diam. bears N. 26° E. 89. links dist and a  
 B. Oak 30. " " " N. 37° W. 72. " "  
 Land Rolling & 2nd rate. Timber mostly W. Oak. & very  
 Brushy.

- West. On South Boundary of Sec. 35. T. 34. N. R. 2. E. 2nd Mer.  
 9. 00 To Marsh.  
 18. 00 Leave Do.  
 20. 30. A W. Oak 15. int. diam.  
 40. 00 Set a q. Sec. post from which a  
 Elm 6. int. diam. bears N. 85° E. 9. links dist and a  
 W. Ash 30. int. " " N. 17° W. 40. " "  
 68. 04. A W. Ash 18. " "  
 80. 00 Set a Post Cor. to Sec. 34. & 35. from which a  
 Sugar 24. int. diam. bears N. 48° E. 14 links dist & a  
 Beech 22. " " " N. 79° W. 70. " "  
 To Marsh. Land &c. similar. ground Do. generally Rolling. & 1st  
 rate. Timber. Sugar. Beech. B. & W. Walnut. Elm. Ash  
 Spruce & Undergrowth. Spruce. & Poplar.

- West On South Boundary of Sec. 34. T. 34. N. R. 2. E.  
 14. 50. An Indian Trail. Cor. South.  
 16. 87. A B. Walnut 30. in. diam.  
 40. 00 Set a p. the post from which a  
 Buck 20. in. diam. bears N. 35. E. 22. links dist. & a  
 Do 17. " " " N. 62 $\frac{1}{4}$ . W. 91. " "  
 68. 79. A Buck 10. in. diam.  
 77. 00 To Marsh.  
 80. 00 Set a Post Cor. to Sec. 33. & 34. from which a  
 Maple 9. in. diam. bears N. 89. E. 294. links dist. and a  
 W. Oak 19. " " " N. 86 $\frac{1}{2}$ . W. 3. 51. " "  
 First 71. ch? Land &c. similar to the last p. of last mile.

- 
- West On South Boundary of Sec. 33. T. 34. N. R. 2. E.  
 14. 49. Intersect the East Boundary of Michigan Road Lands.  
 8. 76. links North of the S. E. Cor. of Sec. 12. where a  
 B. Oak 36. in. diam. bears N. 20. E. 65. links dist. and a  
 W. Oak 13. " " " S. 42. E. 62. " "  
 3. 25. Leave the Marsh.  
 51. 25. Yellow River 150. links wide. Cor. S. W.  
 72. 00 To Barrens.  
 80. 00 Set a Post Cor. to Sec. 32 & 33. post in thicket (No Bearings)  
 To Barrens. mostly a thicket. Some large Oak. B. Gum.  
 Hickory &c. Sept. 24<sup>th</sup> 1833

- 
- West On South Boundary of Sec. 32. T. 34. N. R. 2. E.  
 2. 30. Centre of Michigan Road N. 5. W.  
 14. 72. Intersect the West Boundary of Mich. Road. Sections.  
 9. 64. links North of the S. W. Cor. of Sec. 12. from which a  
 Y. Oak 16. in. diam. bears N. 27 $\frac{1}{4}$ . W. 5. 43. links dist. & a  
 Do 12. " " " S. 56 $\frac{1}{2}$ . W. 200. " "  
 21. 00 Marsh. Narrow from N. to S.  
 40. 00 Set a p. the post from which a  
 Y. Oak 15. in. diam. bears N. 4. E. 2. 20 links dist. and a  
 " Do 18. " " " N. 70 $\frac{1}{2}$ . W. 105. " "  
 40. 50. Leave the Marsh.

73 47. A Y. Oak 10. in. diam.  
 80. 00 Set a Post Cor. to Sec. 31. & 32. from which a  
 W. Oak 13. in. diam. bears N. 30 $\frac{1}{4}$  W. 49. links dist. & a  
 Y. Oak 15. " " " N. 45 $\frac{1}{4}$  E. 78. " "  
 Upland Rolling. Barrens. this soil. first 1/2. without timber.  
 Last 1/2. thinly timbered with W. & Y. Oak.

West On South Boundary of Sec. 31. T. 34. N. R. 2. E.  
 8. 00 Indian Trail. Cor. S. W.  
 10. 00 Marsh  
 34. 00 Leave Do.  
 30. 50. A Y. Oak 13. in. diam.  
 40. 00 Set a q. Sec. post from which a  
 W. Oak 14. in. diam. bears N. 72 $\frac{1}{4}$  E. 1. 50. links dist. & a  
 Hickory 12. " " " N. 73. W. 40. " "  
 73. 00 Presnt Traveled Road from Logans p. 5. to S. Bend. N. N. W.  
 79. 38 Intersect the West Boundary at the end of 6. or. 83.  
 Set a Post Cor. of Towns 33. & 34. R. 1. & 2. E. from which a  
 W. Oak 10. in. diam. bears N. 34. E. 100. links dist. & a  
 Y. Oak 17. " " " S. 50 $\frac{1}{2}$  E. 131. " "  
 Land & similar. bar. 6. 15. E.

West Boundary. Var. 5 $^{\circ}$  55' E.  
 South On East Boundary of Sec. 1. T. 33. N. R. 1. E.  
 11. 53. A Hickory 8. in. diam.  
 28. 43. A Y. Oak 19. " "  
 37. 50 To Marsh.  
 42. 25. Set a q. Sec. post from which a  
 W. Oak 18. in. diam. bears N. 47. W. 2. 31. links dist. & a  
 Do. 24. " " " N. 57. E. 98. " "  
 117. 01 Leave the Marsh  
 65. 75. An Indian Trail Cor. S. W.  
 82. 25. Set a Post Cor. to Sec. 1. & 2. from which a  
 Hickory & in. diam. bears N. 30 $\frac{1}{4}$  W. 31. links dist. and a  
 Y. Oak 20. " " " S. 30. W. 101. " "  
 Land Rolling Barrens. thin soil. sandy. Thinly





T<sup>33</sup>. A. B. 2. E. 2<sup>nd</sup> Mer. Indiana.

4. 50 To Marsh.
9. 40 To Lake Set a Post. from which a  
W. Oak 28. in. diam. bears N. 1<sup>st</sup>. W. 5. 39. links dist. and a  
" Do. 14. " " " N. 21<sup>3</sup>/<sub>4</sub>. E. 4. 85. " "
19. 50. Leave the Lake & set a Post. from which a  
Lynn 16. in. diam. bears S. 22. W. 68. links dist. and a  
Do. 10 " " " S. 40<sup>1</sup>/<sub>2</sub>. E. 35. " "
35. 79. An Elm 28. in. diam.
37. 94. A W. Oak 33. " "
40. 00 Set a 9<sup>th</sup> Sec. post from which a  
Lynn 9. in. diam. bears N. 34<sup>1</sup>/<sub>4</sub>. W. 63. links dist. & a  
Hickory 18. " " " S. 32<sup>1</sup>/<sub>2</sub>. W. 69. " "
55. 42. An Elm 18. " "
80. 00 Set a Post Cor. to Sec. 24. & 25. from which a  
Hickory 10. in. diam. bears N. 20. W. 68. links dist. & a  
W. Oak 18. " " " S. 79. W. 59. " "  
Land Rolling & good soil. Heavily timbered with Oak.  
Hickory. Poplar. Ash. Elm. Walnut &c.

- 
- South On East Boundary of Sec. 25. T. 33. N. R. 1. E.
12. 08. An Elm 14. in. diam.
23. 00 An Indian Trail. Cor. N. W. & Enter Barrens.
40. 00 Set a <sup>1</sup>/<sub>4</sub> Sec. post from which a  
W. Oak 24. in. diam. bears N. 82<sup>1</sup>/<sub>4</sub>. W. 422. links dist. & a  
" Do. 40. " " " S. 4. W. 2. 00. " "
69. 79. A W. Oak 30. in. diam.
73. 00 An Indian Trail. Cor. W.
77. 50 Leave Barrens. & Enter heavy Timbered Land.  
River Bottoms.
80. 00 Set a Post Cor. to Sec. 25. & 36 from which a  
W. Oak 14. in. diam. bears N. 9<sup>1</sup>/<sub>2</sub>. W. 71. links dist. & a  
W. Oak 11. " " " S. 87<sup>1</sup>/<sub>2</sub>. W. 63. " "  
North 20. 00. Land. &c. similar. Barrens. high. &  
Rolling. & Thinly Timbered with W. & W. Oak.

---

South On East Boundary of Sec. 36. T. 33. N. R. 1. E.

5. 24. A Buck 18. in. diam.  
 11. 87. To the Right Bank of Yellow River. Set a Meander Post. from which an  
 B. Elm 13. in. diam. bears N. 65. W. 44. links dist. & a  
 W. Oak 9. " " " N. 60. E. 34. " "  
 13. 57. Over the River. & Set a Post. on the Left Bank. from which  
 a Sycamore 13. in. diam. bears S. 30. W. 19. links dist. and a  
 Do 18. " " " S. 44. E. 31. " "  
 21. 50. Leave the Bottoms.  
 40. 00. Set a 2nd Post from which a  
 W. Ash 8. in. diam. bears S. 10. W. 57. links dist. and a  
 B. Elm 10. " " " N. 61. W. 31. " "  
 48. 94. A B. Oak 30. " "  
 67. 81. A W. Oak 28. " "  
 80. 00. Town Corner.  
 Upland Rolling & good soil. Timber. Mostly Oak. Poplar.  
 & Hickory. some Ash. Elm. &c. Undergrowth Brins & vines.  
 Bar. 5.55. E. Surveyed by  
 Robert Clark. Junr. D. S.

## Subdivisions

- Met On True line between Sec. 25. & 30.  
 4. 44. A Sugar 24. in. diam.  
 17. 42. A Buck 12. " "  
 20. 59. A Sugar 36. " "  
 40. 00. Set a 2nd Post from which a  
 Buckeye 17. in. diam. bears N. 62. W. 19. links dist. & a  
 Sugar. 30. " " " S. 41. E. 19. " "  
 40. 03. A Buck 36. " "  
 53. 88. An Elm 16. " "  
 63. 29. A Buckeye 8. " "  
 74. 10. Set a Post on the East side of Sec. 17. Michigan Road, Ind.  
 from which a Hickory 6. in. diam. bears S. 66. E. 11. links dist.  
 and a B. Ash 22. in. diam. bears N. 78. E. 25. " "  
 Measured South 4 ch. & 8. links to the S. E. cor. of said Sec.  
 Land level & 1st rate. Timber. Sugar. Walnut. Elm. Buck.

## T. 33. N. R. 2. E. 2nd Mer. Indiana.

Ash. Poplar. &amp; some Buckeye. Undergr. Spice. Paspun. &amp;c.

Met	On true line between Sec. 24. & 25.
4. 85.	A Sugar. 24. in. diam.
13. 26.	A Do 24. " "
21. 03.	An Elm 12. " "
30. 31.	A Sugar 18. " "
30. 70.	An Elm 24. " "
40. 00	Set a 4 <sup>th</sup> Sec. post from which a Sugar 20. in. diam. bears S. 74. E. 5. links dist. and a W. Walnut 10. in. diam. bears S. 60. W. 40. lks. dist.
48. 50.	A W. " 20. " "
54. 40.	A Sugar. 18. " "
65. 09.	A Buck 30. " "
74. 08.	A Sugar. 18. " "
80. 00	Set a Post Cor. to Sec. 23. 24. 25. & 26. from which a Sugar 30. in. diam. bears N. 41. W. 22. links dist. & a Buckeye 8. " " " S. 6. E. 20. " " Land &c. same as last mile. set 1 <sup>st</sup> rate.

South	Between Sec. 25. & 26.
3. 98.	Set a Post on the North side of Sec. 17. M. R. 2. from which Sugar 18. in. diam. bears N. 70. E. 60. links dist. and a W. Walnut 12. " " " N. 30. W. 7. " " Measured East 5. ch. & 27. links. to the N. E. Cor. of 1 <sup>st</sup> Sec. Sections Land &c. same.

Met	Between Sec. 23. & 26. On true line.
9. 45.	A Sugar 24. in. diam.
17. 80.	A Red Oak 20. " "
20. 00.	An Elm 10. " "
40. 00	Set a 1/4 Sec. post. from which an Elm 6. in. diam. bears S. 11. E. 4. links dist. & a Spruce 12. " " " N. 53. W. 10. " "
43. 54.	A W. Walnut 10. in. diam.
54. 97.	Set a Post on the East side. of Sec. 10. Michigan R. Land.

T. B. S. R. 2. Co. 2<sup>nd</sup> Mer. Indiana. 47

from which a Hickory 10. in. diam. bears N. 53 $\frac{1}{2}$  E. 8. lks dist.  
and a Do. 8. " " " S. 17. E. 20. " "  
Measured South 4 chains & 20. links to the S. E. Cor. of Sec.  
10. N. B. L. Land & same as last mile. soil 1<sup>st</sup> rate.

---

North Between Sec. 23. & 24.  
12. 75. Enter Bushy Barrens  
32. 50. to Rich Timbered Land.  
36. 48. A Sugar 20. in. diam.  
40. 00. Set a q. Sec. post from which a  
Sugar 36. in. diam. bears S. 43. E. 33. links dist. & a  
Do. 36. " " " N. 28. E. 07. " "  
52. 50. A Sugar 36. " "  
65. 12. A Do. 6. " "  
71. 09. A Do. 20. " "  
80. 00. Marked a Red Oak 6. in. diam. for the Cor. of Sec. 13. 14.  
23. & 24. Land gone 2<sup>nd</sup> rate. Timber. Oak. Sugar.  
Buck. Elm. Hazel. & Ironwood.

---

East On a Random between Sec. 13. & 24.  
80. 04. Intersect the East Boundary 28. links S. of the Post.  
Land level. & 2<sup>nd</sup> rate. Timber. Buck Sugar. Ash. Lym.  
Oak. & some W. Walnut.

---

West Connected Between Sec. 13. & 24.  
11. 31. A B. Walnut 24. in. diam.  
22. 45. A Buck 24. in. diam.  
40. 02. Set a q. Sec. post from which a  
W. Oak 22. in. diam. bears S. 8. E. 8. links dist. & a  
B. Ash 7. " " " N. 19. E. 25. " "  
50. 41. A B. Ash 12. " "  
62. 09. A Lym 8. " "  
80. 04. To Sec. Corner.

---

North Between Sec. 13. & 14.  
11. 83. A B. Jack 15. in. diam.



T. 33. N. R. 2. E. 2<sup>nd</sup>. Mer. Indiana.

11. 90. Enter Mullen Swamp.  
 30. 50. Leave Do Do.  
 37. 10. An Aspin 10. in. diam.  
 40. 00. Set a q. Sec post. from which a  
 Cherry 22 in. diam. bears S. 81. E. 10. links dist. and a  
 Hickory 14. " " " N. 22. W. 16. " "  
 45. 00. A Sugar 24. " "  
 50. 53. A Do. 24. " "  
 64. 54. A Buck 36. " "  
 72. 70 A Sugar. 24. " "  
 80. 00. Set a Post Cor. to Sec. 11. 12. 13. & 14. from which a  
 Sugar 17. in. diam. bears N. 86. W. 30. links dist. & a  
 Do. 12. " " " S. 63. E. 36. " "  
 Land on the South 1/2 (except swamp) the same.  
 N. 1/2. level & 1<sup>st</sup> rate. Timber. Sugar Buck Greenwood.  
 & P. Ash.

East On a Random Between Sec. 12. & 13.

57. 50. A Stream 20. links wide. Cor. North.  
 80. 00. Intersect the E. Boundary 6. links South of the Post.  
 Land on the 1<sup>st</sup> 1/2 mile. 1<sup>st</sup> rate. Timber. Sugar. Walnut.  
 Elm. Poplar. & Spice 2<sup>nd</sup> 1/2 mile 2<sup>nd</sup> rate. Timber.  
 Oak. Buck. Ash. Elm. B. Hoor. Hazle. & Greenwood.

West Corrected Between Sec. 12. & 13.

8. 40. An Elm 10. in. diam.  
 15. 50. A Do. 10. " "  
 30. 19. A Hickory 20 in. "  
 110. 03. Set a q. Sec post from which a  
 W. Walnut 14 in. diam. bears N. 62. W. 19. links dist. & a  
 Hickory 14. " " " S. 25. E. 47. " "  
 50. 69. A B. Ash 24. " "  
 70. 47 A Sugar 30. " "  
 80. 00. To the Corner.

North Between Sec. 11. & 12.

T 33. N. B. 2. E. 2nd Mer. Indiana. 49

- 0.04. A Sugar 30. int. diam.  
 16.98. A B. Ash 18. " "  
 30.58. A Sugar 30. " "  
 40.00. Set a 9<sup>th</sup> Sec. post from which an  
 Elm 8. int. diam. bears S 42. W 8. links dist. and a  
 B. Walnut 12. int. " N. 87. E. 09. " "  
 45.34. A Hickory 18. " "  
 56.83. A Sugar. 24. " "  
 74.46. A Do. 30. " "  
 80.00. Set a Post Cor. to Sec. 1. 2. 11. & 12. from which an  
 Elm 20. int. diam. bears S 72. E. 8. links dist. and a  
 Sugar 12. " " " N. 43. W. 13. " "  
 Land level. & 1<sup>st</sup> rate. Timber. Sugar. Walnut. Elm.  
 Cherry. P. Ash. & Paw-paw.

East On a Random between Sec. 1. & 12.  
 80.02. Intersect the East Boundary 13. links South of the Post.  
 In the edge of a Mullen Swamp.  
 Land. 1<sup>st</sup> 20.00. as before. The Balance good 2<sup>nd</sup> rate.  
 Heavy Beech. & Ash Timber. Undergrowth Beech Ironwood  
 and Sugar.

- West Connected Between Sec. 1. & 12.  
 11.54. An Elm 20. int. diam.  
 31.05. A Beech 30. " "  
 40.01. Set a 9<sup>th</sup> Sec. post at aver. dist. from which a  
 Beech 30. int. diam. bears N. 41. W. 47. links dist. and a  
 Do. 22. " " " S. 13. E. 47. " "  
 53.48. A B. Ash 20. " "  
 60.68. A Sugar 8. " "  
 80.02. To Sec. Corner. Apr. 4<sup>th</sup> 1834.

- North Between Sec. 1. & 2.  
 15.50. An Elm 15. int. diam.  
 19.30. A Do. 30. " "  
 29.25. A Do. 24. " "

T 33. N. R. 2. E. 2<sup>nd</sup> Mer. Indiana.

36. 57. A B. Walnut 36. in. diam.  
 40. 00 Set a q. Sec. post from which an  
 Elm 24. in. diam. bears S. 53. W. 37. links dist. & a  
 Buck 21. " " " S. 75. E. 14 " "  
 50. 45 A Sugar 9. " "  
 65. 54. A Do. 7. " "  
 69. 98. An Ironwood 10. in. diam.  
 86. 22. Intersect the North Boundary. 12. links West of the  
 Post. Set a Post Cor. to Sec. 1. & 2. from which a  
 Sugar 22. in. diam. bears S. 12. E. 56. links dist. & a  
 Do. 20. " " " S. 00. W. 100 " "  
 Land level & 1<sup>st</sup> rate. Timber. Elm. Walnut. Sugar. Buck  
 and Ironwood.

- West On True line between Sec. 14. & 23.  
 19. 78. A Sugar. 24. in. diam.  
 24. 28. An Elm 24. " "  
 31. 98. A Do. 48. " "  
 40. 00 Set a q. Sec. post from which a  
 Sugar 24. in. diam. bears North 65. links dist. & a  
 Buck 10. " " " S. 15. W. 33. " "  
 50. 39. A Sugar 24. in. diam.  
 69. 34. A B. Ash 12. " "  
 80. 00 Set a Post Cor. to Sec. 14. 15. 22. & 23. from which an  
 B. Oak 3. in. diam. bears N. 47. E. 31. links dist. & a  
 Sugar 18. " " " S. 61. E. 94. " "  
 Land level & 1<sup>st</sup> rate. Timber. Sugar. Elm. Buck.  
 Walnut. Oak. Ironwood. & Spruce. & P. Ash.

- South On a True line between Sec. 22. & 23.  
 0. 44. Enter Old Indian Field.  
 4. 41. Set a Post on the North side of Sec. 10. Michigan Road Lands.  
 from which a  
 W. Oak 4. in. diam. bears N. 2. W. 30. links dist. & a  
 B. Walnut 20. in. " " N. 21. E. 1.32 " "  
 Measured 44. (why not 6) 15. cr. & 69. lbs. on Dand line to q. Sec.

Post. in Sec. 16.

Land rich open woods.

West On True line between Sec. 15. & 22.  
 12. 22. A W. Oak 24. in. diam.  
 20. 47. A B. Walnut 15. " "  
 35. 54. Set a q. Sec. post on the East side. of Sec. 15. Michigan Road  
 Lands from which a  
 W. Oak 24. in. diam. bears North 15. links dist. and a  
 W. Oak 24. " " " S. 30. E. 148. " "  
 Measured South on said line 4 ch. & 61. links to the S. E.  
 Cor. of Sec. 15.  
 Land Barrens. & 2<sup>nd</sup> rate. Timber. Oak. Sycamore. & Hazel.

North Between Sec. 14. & 15.  
 12. 73. A W. Oak 8. in. diam.  
 19. 64. A Poplar 24. " "  
 34. 66. A Sugar. 30. " "  
 40. 00 Set a q. Sec. post from which a  
 Sugar. 20. in. diam. bears N. 52. E. 19. links dist. & a  
 Do. 13. " " " N. 86. W. 41. " "  
 47. 70. A Sugar 20. " "  
 54. 42. A Do. 30. " "  
 72. 50. A Windfall. E. S. E.  
 80. 00 Set a Post Cor. to Sec. 10. 11. 14. & 15. from which an.  
 Elm 10. in. diam. bears N. 80. W. 6. links dist. and a  
 B. Ash 8. " " " S. 80. E. 17. " "  
 Land some Bottoming & 1<sup>st</sup> rate. Timber. Sugar. Walnut.  
 Ash. Pawpaw. & S. Ash.

East On a Random between Sec. 11. & 14.  
 12. 50 Leave the Windfall.  
 80. 00 Intersect the N. & E. line 5. links North of the Post.  
 Land &c. same as last mile

West Corrected Between Sec. 11. & 14.  
 10. 46. A Sugar. 30. in. diam.



T<sup>30</sup>. N. B. 2. E. 2<sup>nd</sup> Mer. Indiana.

- 34.15. A Sugar. 12. in. diam.  
 40.00 Set a 1/4 Sec. post from which a  
 Sugar 30. in. diam. bears S 82. E. 19. links dist. and a  
 Elm 8. " " " N. 13. E. 19. " "  
 50.77. A Sugar 30. in. diam.  
 63.07. A Do 30. " "  
 80.00 To Sec. Corner.

- North Between Sec. 10. & 11.  
 5.25. Leave the road fall.  
 5.38. A Sugar. 20. in. diam.  
 20.35. A Do. 30. " "  
 30.93. A Do. 30. " "  
 40.00 Set a 1/4 Sec. post from which a  
 Sugar 30. in. diam. bears S 18. W. 55. links dist. and a  
 Do. 30. " " " N. 10. E. 53. " "  
 52.04. An Elm 12. " "  
 58.04. A W. Walnut 12. in. diam.  
 65.23. A B. Ash 24. " "  
 71.83. A Sugar. 30. " "  
 80.00 Set a Post Cor. to Sec. 2. 3. 10. 11. from which a  
 Hackberry 9. in. diam. bears N. 63. E. 21. links dist. & a  
 B. Oak 30. " " " N. 50. W. 17. " "  
 Land level & 1<sup>st</sup> note. Timber same.

- East On a Random between Sec. 2. & 11.  
 80.01 Intersect the N. & S. line 2 links North of the Post.  
 Land &c. same as last mile.

- West Corrected between Sec. 2. & 11.  
 11.88. A Beech 22 in. diam.  
 23.82. A Do. 20. " "  
 40.00 1/2 Set a 1/4 Sec. post from which a  
 W. Walnut 17. in. diam. bears S. 25. E. 24. links dist. & a  
 B. Ash. 7. " " " N. 22. W. 20. " "  
 51.06. An Elm 30. " "

80. 07. To Sec. Corner.

North Between Sec. 2. &amp; 3.

21. 56. A Beech 18. in. diam.

34. 00. A Do 20 " "

40. 00 Set a q. Sec post from which a

B. Ash 10. in. diam. bears S 56. E. 20. links dist. &amp; a

Beech 18. " " " N 39. W. 40. " "

46. 11. A Beech 20 " "

64. 19. A Do 24 " "

72. 76. A Swamp Ash 12. in. diam.

81. 25. A Beech 30. in. "

86. 02. Intersect the North Boundary 7. links West of the Post.

Set a Post Cor. to Sec. 2. &amp; 3. from which a

Beech 28. in. diam. bears S 61. E. 69. links dist. and a

B. Ash 30. " " " S 35. W. 69. " "

Land good 2<sup>nd</sup> rate. Timber. Beech. Sugar. Walnut. Ash.  
Spice. & Ironwood.

West On true line between Sec. 3. &amp; 10.

12. 37. A Beech 20 in. diam.

25. 26. A Sugar 30. " "

34. 83. A Poplar. 18. " "

40. 00 Set a q. Sec post from which a

Beech 28. in. diam. bears S 76. E. 16. links dist. and a

W. Walnut 8. " " " S 61. W. 38. " "

54. 48. A W. Oak 12. " "

63. 00 A. Do. 16. " "

65. 60. Enter Miller Swamp -

74. 00 Leave Do. Do.

80. 00 Set a Post Cor. to Sec. 3. 4. 9. 10. from which a

W. Oak 19. in. diam. bears S 37. E. 53. links dist. &amp; a

Do. 23. " " " S 57. W. 46. " "

Land level & 2<sup>nd</sup> rate. Timber. Oak. Beech. Sugar. Walnut.  
Ironwood. Spice. & Hazel. Tupelos &c.

T. 33. N. R. 2. E. 2<sup>nd</sup> Mer. Ind.

19. 14. On true line Between Sec. 10. & 15.  
 33. 27. An Elm 48. in. diam.  
 40. 00 A Beech 20. " "  
 Set a q. Sec. post. from which a  
 Sugar 20. in. diam. bears N. 9. W. 25 links disty 8 a  
 Do. 33. " " " S. 17. W. 47. " "  
 45. 34 A Sugar 36. in. diam.  
 52. 81 Set a Post on the East side of Sec. 4. Michigan Road, Land.  
 from which an  
 Elm 8. in. diam. bears S. 57. E. 16. links disty 8 a  
 B. Walnut 6. in. " " N. 75. E. 33. " "  
 Measured S. 4. chains. 86. links to the S. E. Cor. of said  
 Sec. Land level & 1<sup>st</sup> rate. Timber. Sugar. Elm. Walnut.  
 Pawpaw. Spice. & P. Ash. Apr. 5<sup>th</sup> 1834.

- North Between Sec. 34. & 35.  
 10. 80. A W. Oak 20 in. diam.  
 22. 85. A Poplar 36. " "  
 33. 50. A Do. 18. " "  
 37. 00 Enter Wet Prairie.  
 40. 00 Set a q. Sec. post from which a  
 Swamp Ash 12. in. diam. bears S. 4. E. 3. 00. links disty 8 a  
 W. Oak. 12. " " " N. 32. W. 1. 98. " "  
 49. 00 Leave the Prairie.  
 50. 80. A W. Oak 36. in. diam.  
 73. 42. A Linn 18. " "  
 80. 00 Set a Post Cor. to Sec. 26. & 27. 34 & 35. from which a  
 Sugar. 36. in. diam. bears S. 10. W. 68. links disty 8 a  
 Elm. 16. " " " N. 57. E. 58. " "  
 Land level & 2<sup>nd</sup> rate. Timber. Oak. Poplar. Sugar. Linn.  
 Hazle. & Sassafras.

- East On true line between Sec. 26. & 35.  
 3. 20. A Elm 16. in. diam.  
 5. 99. Set a Post on the West side of Sec. 17. Michigan Road, Lands.  
 from which a

Burr Oak 16. in. diam. bears S 42. W 40. links dist. and a.  
 Hickory 10. " " " " N 62. W 26. " "  
 Measured South 5 chains & 30. links to the S.W. Cor. of said.  
 Sec. Land &c. same.

North Between Sec. 26. & 27.  
 1. 08. A Sugar. 24. in. diam.  
 23. 05. A W. Oak 20. " "  
 40. 00 Set a  $\frac{1}{4}$  Sec. post from which a  
 W. Oak 33. in. diam. bears N. 89. E. 47. links dist. & a.  
 " Do 28. " " " N. 46. W. 43. " "  
 42. 89. A W. Oak 24. in. diam.  
 53. 35. An E. Oak 30. " "  
 61. 30. A W. Oak 24. " "  
 74. 06. Set a Post on the South side of Sec. 16. Michigan. Road; Lands  
 from which a  
 W. Oak 30. in. diam. bears S 52. W. 53. links dist. and a.  
 Red Oak 28. " " " S 39. E. 42. " "  
 Measured E. 6. Ch. & 7. links to the S. E. Cor. of said, Sec.  
 Land broken. Soil same as last mile.

North Between Sec. 33. & 34.  
 9. 75. Leave Prairie & Oak Ridge.  
 16. 50. Enter Tamarac. Swamp-  
 17. 39. A Tum 18. in. diam.  
 30. 00 Leave Tum. Swamp. Open Oak woods.  
 39. 49. A W. Oak 30. in. diam.  
 40. 00 Set a  $\frac{1}{4}$  Sec. post from which a  
 Red Oak 32. in. diam. bears N 88. E. 43. links dist. and a.  
 W. Oak 19. " " " North 55. " "  
 45. 47. A W. Oak 30. " "  
 58. 29. A Swamp. Ash 18. in. diam. & Enter Tum. Swamp.  
 69. 75. Leave Tamarac. Swamp-  
 76. 11. A W. Oak 30. in. diam.  
 80. 00 Set a Post Cor. to Sec. 27. 28. 33. & 34. from which a  
 W. Oak 20. in. diam. bears S 57. E. 59. links dist. & a.



T 33. N. R. 2. E. 1<sup>st</sup> Mer. Indiana.


B. Oak 22 in. diam. bears S 53. W. 89. links dist. 8 -  
 Except Swamp. Land 2<sup>nd</sup> rate. Open Oak woods, &c.

East On a Bandem between Sec. 27 & 34.  
 15. 00 Enter Cranberry Marsh.  
 31. 25 Leave Do. Do.  
 80 00 Intersect the N. & E line at the Post.  
 Land level & good 2<sup>nd</sup> rate. Timber. Oak. Ash. Sugar.  
 Walnut. Briers. &c.

West Corrected Between Sec. 27 & 34.  
 11. 86 A B. Walnut 20 in. diam.  
 25. 50 A B. Oak 18. " "  
 40. 00 Set a post from which an  
 B. Ash 18 in. diam. bears S 61. W. 20. links dist. 8 a  
 W. Oak 30. " " " N. 66. E. 27. " "  
 80. 00 To Sec. Corner.

North Between Sec. 27 & 28.  
 14. 19 A W. Oak 18 in. diam.  
 36. 00 Enter Wet Prairie.  
 40. 00 Set a post on the Bank of a  
 Deep Pond. from which a  
 Tamarac. 12 in. diam. bears N 47. E. 29. links dist. 8 -  
 Do. 8. " " " S. 57. W. 9. " "  
 Opposite Pond from the Post. West 3 ch. Thence North 5 ch.  
 Thence East 3. Chains.  
 45. 00 Over the Pond.  
 50. 75 Leave Prairie.  
 56. 03 A W. Oak 20 in. diam.  
 70. 50 A " Do. 18. " "  
 80 00. Set a Post Cor. to Sec. 21. 22. 27 & 28. from which a  
 W. Oak 18 in. diam. bears S 65. E. 48. links dist. and a  
 Do. 22. " " " N 65. W. 87. " "  
 Land level open Oak woods & 2<sup>nd</sup> rate soil.





# T. B. N. 2. E. 2nd Mer. Indiana. 59

East On this line between Sec. 22 & 27.

- 1. 50 A W. Oak 24 in. diam.
  - 19. 38 A. " Do. 20 " "
  - 22. 65. Intersect the Michigan Road Lands. & set a Post. on the West side of Sec. 10. fr. 22 & 27. from which a W. Oak 18 in. diam. bears S. 1. W. 52 links dist. and a Do 13. " " " S. 12 W. 59. " "
- Measured South to the S. W. Cor. of Sec 10. 5 chains & 40 lks. Land & same as last mile. Except the Swamp.

North Between Sec. 21 & 22.

- 2. 75. Enter the Prairie
  - 19. 00 Leave Do. " & enter Oak Lands.
  - 23. 52 A W. Oak 20 in. diam.
  - 30. 17 Waggon Road. Cor. S. E.
  - 40. 00 Set a q. Sec post. from which a W. Oak 12 in. diam. bears S 39. E. 20 links dist. & a Do. 12. " " " N. 41. W. 43. " "
  - 43. 83. A W. Oak 20 in. diam.
  - 45. 00 Enter Wet Prairie.
  - 54. 80. A Spring in Prairie 3 chains wide. Cor. S. W.
  - 59. 50. Leave the Prairie.
  - 61. 10. A W. Oak 24 in. diam.
  - 74. 47. Set a Post on the South side. of Sec. 15. Michigan Road Lands Cor. of Sec. 22 & 21. from which a W. Oak 20 in. diam. bears S 84. W. 78 links dist. and a Do. 22. " " " S. 61. E. 127. " "
- Measured East 208 links to the Corner. of Sec 15. Road Lands Land except the Prairie, same as last mile.

North Between Sec. 32 & 33.

- 5. 18 An Elm 24 in. diam.
- 10. 19. A Stream 30 links wide. Cor. S. West.
- 20. 22. An Elm 20 in. diam.
- 40. 00 Set a q. Sec post. from which a W. Oak 24 in. diam. bears S 85. W. 72 links dist. and a



T. & S. N. R. 2. E. 2<sup>nd</sup> Mer. Indian.

- W. Oak 30. in. diam. bears S. 42. W. 1. 20. links dist.
43. 51. A Spruce 12. links med. Co. West.
51. 91. A W. Oak 24. in. diam.
72. 07. A Red Oak 30. " "
75. 17. A " Do. 30. " "
80. 07. At a Post Cor. to Sec. 28. 29. 32. & 33. from which a  
W. Oak 12. in. diam. bears S. 75. W. 117. links dist. & a  
Elm 15. " " " N. 30. E. 46. " "  
Sand level & 2<sup>nd</sup> rate. Timber. Oak. Elm. Sugar. Spruce.  
Underg<sup>g</sup>. Hazle. Sassafras. Grape vines.

- East On a Random between Sec. 28. & 33.
57. 07. Enter met Prairie
68. 30. Leave " "
80. 07. Intersect the N. & E. line 4 links North of the Post.  
Sand &c. same. as last mile.

- West Corrected between Sec. 28. & 33.
4. 72. A B. Oak 24 in diam.
34. 73. A W. Oak 24. " "
40. 07. At a 4<sup>th</sup> Sec. post from which a  
W. Oak 18. in. diam. bears S. 34. E. 56. links dist. & a  
" Do. 12. " " " N. 11. E. 108. " "  
55. 16. A W. Oak 24. " "  
71. 72. A W. Oak 24. " "  
80. 07. To Sec. Corner. Apr. 6<sup>th</sup> 1834.

- West On True line between Sec. 29. & 32.
12. 15. A Spruce 20. in. diam. & enter dry Barrens. which show  
the appearance of Old Indian fields. &c.
40. 07. At a 4<sup>th</sup> Sec. post from which a (in Barrens)  
W. Oak 36. in. diam. bears N. 18. E. 3.00 links dist. and a  
Richwood 6. " " " N. 23. W. 1. 34. " "  
48. 07. Leave Barrens.
48. 33. Old wagon Road to S. Bend of the St. Joseph.
57. 18. A W. Oak 36. in. diam.

59.76 Intersected the Menominee Reserve. & set a Post on the East side, Sec<sup>s</sup> 29. & 32. from which a Swamp Ash 12. in. diam. bears N. 27. E. 30. links dist. & a Do Do 6. " " " S. 25. E. 5. " " Measured South 79. ch. & 99. links to the T. & E. Cor. of said Reserve. on Tenn line. between Sec<sup>s</sup> 32. & 33. Land Barrens & 3<sup>d</sup> rate. Timber. Oak. &c

North Between Sec<sup>s</sup> 28. & 29.

5. 00 Enter Barrens. with some scattering Oak Timber.

15. 77. A W. Oak 24. in. diam.

22. 85. An B. Oak 30. " "

40. 00 Set a gr. Sec. post from which a Jack Oak 8. in. diam. bears S. 12. W. 18. links dist. & a B. Oak 24. " " " S. 67. W. 3. 10. " "

52. 00 Leave the Barrens

52. 75. Waggon Road. Cr. A. E.

51. 99. A W. Oak 30. in. diam.

75. 99. A Do. 24. " "

80. 00 Set a Post Cor. to Sec<sup>s</sup> 28. & 29. from which a B. Oak 24. in. diam. bears S. 44. E. 14. links dist. & a W. Oak 18. " " " S. 59. W. 62. " " Land Broken & 3<sup>d</sup> rate. Timber. Oak. & Wool-grubs.

East On a Wagon Road between Sec<sup>s</sup> 21. & 28.

21. 12. A Waggon Road. Cr. A. E.

80. 00 Intersect the N. & S. line 3. links North of the Post. Land level & good 3<sup>d</sup> rate. Open Oak woods.

West Corrected Between Sec<sup>s</sup> 21. & 28.

25. 96 A W. Oak 14. in. diam.

27. 99 A W. Oak 18. " "

40. 00 Set a gr. Sec. post from which a W. Oak 18. in. diam. bears N. 31. W. 30. links dist. and a Do 21. " " " S. 30. W. 18. " "

48. 59. A W. Oak 18. in. diam.

29. 05. A W Oak 15. in. diam.

80. 00 To Sec. Corner.

West Between Sec 20. & 29.

19. 10. A W Oak 20 in. diam.

29. 03. A Burr Oak 14. " "

31. 24. To the Left Bank of Yellow River.

35. 34. Over the River & Center Prairie. The line runs in the River  
4. 10. links

40. 00 Set a gp. Sec post from which a  
B. Oak 5. in. diam. bears S 40. E 1.78. links dist. & a  
W Oak 14. " " " N 89. W. 5. 03. " "

45. 50 Leave the Prairie

59. 50. Set a Post on the East side of the Menominee Reserve.  
from which a

W Oak 13. in. diam. bears N 4. E. 60. links dist. & a

Richery C. " " " S 20. E. 80. " "

Measured South 80. 03. to the Cor. of Sec 29. & 32. on said line.  
Land except the Prairie. same as last mile.

North Between Sec 20. & 21.

10. 99. A B. Oak 30 in. diam.

33. 25. A W Oak 20. " "

40. 00. Set a gp. Sec post from which a

W Oak 23. in. diam. bears S 30. W. 53. links dist. & a

Do. 18. " " " N 10. E. 48. " "

40. 71. A W Oak 20 in. diam.

58. 02. A Stream 8. links wide. Cor. W.

63. 82. A W Oak 24 in. diam.

74. 77. A. Do 24. " "

80. 00. Set a Post Cor. to Sec 16. 17. 20. & 21. from which a

W Oak 20 in. diam. bears N 74. E. 33. links dist. & a

Do 20. " " " S 57. W. 30. " "

Land level & 3<sup>d</sup> rate. Timber. Oak, 30 ft. gouts. & Sapspros.

East On a Range between Sec 16. & 21.

# T. & J. N. Co. 2<sup>nd</sup> Mer. Indiana. 63

29. 110 A B. Oak 30. in. diam.  
 40. 00 Set a  $\frac{1}{4}$  Sec post. from which a  
 Burr Oak 18. in. diam. bears S. 8. W. 47. links dist. & a  
 Hickory 5. " " " S. 57. W. 21. " "  
 42. 95. Set a Post on the West side. of Sec 15. (M. B. L.) from which  
 a Burr Oak 10. in. diam. bears S. 4. W. 91. links dist. and a  
 Linn 7. " " " N. 3. W. 50. " "  
 Measured the said line to the S. W. Cor. of Sec. 15. S. 6. E. 21.  
 links. — Lands level & 2<sup>nd</sup> rate. Timber. Ash Poplar.  
 Oak & Hickory. Sapafra. &c.

- 
- West Between Sec. 17. & 20.  
 10. 62. A W. Oak 20. in. diam.  
 21. 10 A " Do. 20 " "  
 31. 35. A " Do. 24. " "  
 40. 00 Set a  $\frac{1}{4}$  Sec post from which a  
 W. Oak 24. in. diam. bears S. 00. W. 22. links dist. & a  
 " Do. 18. " " " N. 41. E. 29. " "  
 53. 47. A W. Oak 20. " "  
 54. 13. Intersect the N.  $\frac{1}{2}$  S. line on the East side. of Menominee's  
 Reserve. and set a Post. from which a  
 W. Oak 24. in. diam. bears N. 56. E. 00. links dist. and a  
 " Do. 15. " " " S. 10. E. 78. " "  
 Measured South 79. 95. to Cor. of Sec. 20. & 29. on said  
 Reserve line. Lands level & 2<sup>nd</sup> rate. Open Oak woods.

- 
- North Between Sec. 16. & 17.  
 22. 04 A W. Oak 20. in. diam.  
 33. 63. A W. Oak 18. " "  
 40. 00 Set a  $\frac{1}{4}$  Sec post. from which a  
 W. Oak 12. in. diam. bears S. 15. W. 52. links dist. & a  
 " Do. 24. " " " N. 67. E. 33. " "  
 40. 10 Enter Whortleberry Swamp  
 51. 00 Leave Do. Do.  
 58. 18. A B. Oak 18. in. diam.  
 70. 05. Enter Swamp. Prairie.



## T 33. N. R. 2. E. 2nd Mer. Indiana.

80.00 Set a Post. Cor. to Sec. 8. 9. 10. 11. from which a  
 W. Oak 10. in. diam. bears N. 15. E. 291. links dist. 80.  
 " Do. 18. " " " N. 73. W. 101. " "  
 Lands except Swamp & Prairie 3.0 rate. Open Oak woods.  
 Apr. 7. 1834.

East Between Sec. 9. 11. 12.  
 4. 73. Leave the Prairie.  
 12. 73. An Elm 24 in. diam.  
 22. 50 Set a Post on the West side of Sec. 14. Michigan Road  
 Lands. from which a  
 W. Oak 24. in. diam. bears S. 29. W. 66. links dist. 80  
 " Do. 24. " " " N. 34. W. 51. " "  
 Measured South on said Sec. line. 6. ch. 430. links to the  
 S. W. Cor. Land level. 4.3. rate. Timber. Oak. &  
 some Elm. Open woods &c.

North Between Sec. 8. & 9.  
 0. 50. Leave the Prairie.  
 18. 22. A W. Oak 20. in. diam.  
 34. 33. A " Do. 24. " "  
 40. 00 Set a 9. Sec. post. from which a  
 Jack Oak 8. in. diam. bears S. 65. W. 77. links dist. 80  
 Do. Do. 6. " " " N. 5. E. 55. " "  
 48. 36. Enter Marsh.  
 59. 33. Leave Do.  
 52. 77. A W. Oak 20. in. diam.  
 73. 65. Set a Post on the South side of Sec. 13. Michigan Road  
 lands. Sec. 8. & 9. from which a  
 W. Oak 12. in. diam. bears S. 12. E. 87. links dist. 80  
 " Do. 20. " " " S. 8. W. 150. " "  
 Measured West 18.32. to the S. W. Cor. of said Sec. Lands  
 Rolling 4.3. rate. Timber. Oak. Horse. Saps. &c.  
 Part Marsh.  
 80. 00 Set Temp. Post in Michigan Road Lands.  
 Sec. 4. 5. 8. & 9.

West On True line between Sec. 5. & 8.

from the Temp. Cor. of Sec. 4. 5. 8. & 9. in N. R. 2.

18. 32. Set a Post Cor. to Sec. 5. & 8. on the West side of Sec. 13.

Michigan Road Lands. from which a

N. Oak 21. in. diam. bears N. 67. W. 24. links dist. and a

" Do 19. " " " S. 43. W. 32. " "

Measured South 6. N. & 35. links to the S. W. Cor. of said section 13.

23. 86. A N. Oak 24. in. diam.

40. 00 Set a q. Sec. post. from which an

B. Oak 47. in. diam. bears S. 43. W. 14. links dist. & a

N. Oak 27. " " " N. 14. E. 13. " "

48. 37. A Poplar 23. in. "

59. 12. Set a Post on the East side of the Menominee Reserve.

Cor. of Sec. 5. & 8. from which an

Elm 6. in. diam. bears N. 10. E. 23. links dist. and a

B. Oak 42. in. " " S. 73. E. 03. " "

Measured North 83. 00 To the N. E. Cor. of said Reserve.

Lands 2nd rate Timber Oak. &c.

West On True line Between Sec. 8. & 17.

The notes of this line should follow the notes of the line  
Between Sec. 9. & 16.

1. 00 Leave the Prairie

4. 00 En. Prairie

16. 00 Leave Do.

20. 33. A N. Oak 23. in. diam.

37. 15. A " Do 27. " "

40. 00 Set a q. Sec. post. from which a

N. Oak 18. in. diam. bears S. 46. E. 32. links dist. and a

" Do 21. " " " N. 7. W. 37. " "

41. 30. A N. Oak 20. in. diam.

59. 25. Set a Post on the East side of the Menominee Reserve.

from which a

B. Oak 22. in. diam. bears N. 85. E. 77. links dist. & a

" Do 6. " " " S. 65. E. 71. " "

T. & C. N. R. 2. E. 2<sup>nd</sup> Mer. Indiana

Measured South 80.00. to the Cor. of Sec. 17. & 20. on the  
said Reserve line. Land Rolling Barrens. soil 3<sup>rd</sup> rate.  
Timber. Oak. Maple & Sycamores. Apr. 8<sup>th</sup> 1834.

This Township. East of the Michigan Road, Lands  
is generally level & dry. with very little exception has  
a 1<sup>st</sup> rate soil. heavily Timbered with Sugar. Elm.  
Ash. Birch. Poplar. Walnut. & Undergrowth. Spice & B. Ash.  
Paw-paw & Buckeye. West of the Mich. Road Lands.  
The Land is 2<sup>nd</sup> rate. open Oak woods. interspersed with  
wet Prairies. July 2<sup>nd</sup> 1834.

David Willis  
Dep<sup>y</sup> Sur.

I hereby Certify. that in pursuance of a Contract with  
McT. Williams Surveyor General of the United States  
for the States of Ohio. Indiana & the Territory of  
Michigan. bearing date the 31<sup>st</sup> of December 1833.  
and in strict Conformity to the Laws of the United  
States. and the instructions of said Surveyor General,  
I have surveyed & subdivided into Sec<sup>y</sup> Township No. 33  
South of Range No. 2. East of the 2<sup>nd</sup> Mer. in the  
State of Indiana, and I do further Certify that  
the foregoing are the true and original filed Notes of the  
said Survey & subdivisions executed as aforesaid.  
Certified this 2<sup>nd</sup> day of July. 18. 34.

David Willis  
Dep<sup>y</sup> Surveyor.

Cornelius Rice. }  
Thomas Thompson. } Chairmen.  
Peter B. Kennedy Marker.

For the notes of lines between Sec. 4 & 9, 9 & 10 and  
3 & 4, refer to the end of this Township.

## Subdivisions of Men-o-min-ies Reserve.

- North Between Sec. 31. & 32. Mar. 5. 50. E.
- 10 85. A W. Oak 24. in. diam.
16. 75. A. " D. 20. " "
31. 00 Enter East side of Tam. Millen & Aspin Swamp
31. 40 A B. Gum 18. in. diam.
- 110 00 Set a 90 feet post from which an  
Aspin 12 in. diam. bears N. 39. W. 32 links dist. 2.  
D. 20. " " " S. 36. W. 23. " "
45. 00 Left the Swamp.
53. 20. A Poplar. 20. in. diam.
58. 00 To Wolf Creek 60. links wide. Cor. —
59. 50 Out on same Bank.
64. 52 A Sycamore 18. in. diam.
64. 55. Wolf Creek 60. links wide. Cor. West.
- 72 00 Yellow River 200. " " " N. W. very high & high.
- 80 00 Set a Post Cor. of Sec. 29. 30. 31. & 32. from which a  
Mulberry 8. in. diam. bears N. 63. W. 5. links dist. and a  
Pin Oak 14. " " " S. 31. E. 20. " "  
Land Rolling & 2nd. pale. Timber. Oak. Poplar. Walnut  
Ash &c.

- East On a Random between Sec. 29. & 32.
2. 45. To Yellow River 200. links wide. Cor. S. W.
15. 00 Enter Pond.
21. 30. Intersect the N. & S. line of the Reserve 6. links North  
of the Post. Land & Timber same as before.

- West Correctly Between Sec. 29. & 32.
- 2130 To the Corner

- West On a Random between Sec. 30. & 31.
10. 20. To Yellow River 200. links wide. Cor. N. W.
15. 00 D. D. 200. " " " S. W.
79. 80 Intersect the Range line 78 links South of the Post.  
Land Rolling & third. pale. partly Barrens. & partly stony.



T. & C. N. B. 2. E. 2<sup>nd</sup> Mr. Indiana.

of River, Timber. Oak. Ash. Lynn. Hickory. Maple. &c.  
Bearings for Sec. 30. & 31.

A Swamp. Ash. 11. in. diam. bears N. 37. E. 46. links dist. & a  
W. Oak 10. " " " S. 78. E. 44. " "

East Corrected between Sec. 30. & 31.  
0. 30. A Swamp Ash. 20. in. diam.  
39. 80. Set a Post Cor. of  $\frac{1}{4}$  Sec from which a  
W. Oak 10. in. diam. bears S. 44. E. 13. links dist. & a  
" Do. 10. " " " N. 57. W. 27. " "  
47. 02. A W. Oak 9. in. diam.  
79. 80. To Sec. Corner.

North Between Sec. 29. & 30. Bar 5. 40. E.  
4. 80. To Yellow River. 200. links wide. Cor. S. E.  
21. 07. To Do Do. 200. " " " S. W.  
40 00 Set a q. Sec post from which a  
Hickory 10. in. diam. bears N. 17. E. 110. links dist. & a  
W. Oak 18. " " " N. 47. W. 75. " "  
03. 38. A Hickory 4. " "  
80. 00 Set a Post Cor. to Sec. 19. 20. 29. & 30. from which a  
B. Oak 24. in. diam. bears S. 7. W. 142. links dist. & a  
W. Oak 14. " " " N. 68. E. 127. " "  
Land Rolling and poor. Barrens & of Course 3<sup>rd</sup> rate soil.  
Timber. Oak. & Hickory.

East On a Random between Sec. 20. & 29.  
20. 81. Intersect the East Boundary of the Reserve. 40. links  
South of the Post. Land. Poor. Barrens. some  
scattering Oak. & Hickory Timber.

West Corrected Between Sec. 20. & 29.  
20. 81. To Sec. Corner.

West On a Random between Sec. 19. & 30.  
5. 01 Dry Prairie

*Prof. A. B. G. Mrs. Anderson.*

69

38. 07 Scattering Timber.

79.00 Intersect the West Boundary 1.14 links South of the P.C.  
Bearings for Sec. 19. & 30. For.

A 47. Oak 18. in. diam. bears 9. 25. & 79. limbs div. 8 a

" Dec 1871 " " " A. — C. 1. 110 " "

Land level & moderate. Timber. Oak. Hickory. & some  
Poplar, & Ash. at the West End.

East Corrected between Dec. 19. & 30.

7. 98. An B. Oak 24 in. diam.

39. 00 Set a q. of *Tr. post.* from which a

Chicken 15. in diam. bears 9.2%. W. 28. links dist. 8 a

B. Oak. P. " " " N. 57. E. 59. " "

79. ov. To Ge. Corner.

North Between Dec. 19. & 20.

Var. 5<sup>h</sup> 25' E.

25.56. A B. Oak. 6. in. diam.

35.50 A. " Do. 18. " "

40.00 Set a  $\frac{1}{4}$  Sec. post from which c.

18. Oak 18" int. diam. bears 177. 18. 13. links div. &c.

" Do 20. " " " S. 71. E. 49. " "

42.14 An R. Oak 12 in. diam.

71. 19. A Hickory C. " "

81. 01 Set a Post Cor. to Lei. 17. 18. 19. & 20. from which a

Burr Oak 10. inc. diam. bears No. 54. E. 5. links dis. 8.

W. Oak. G. " " " J. D. E. 12. " "

Land Rolling & s. rate. Timber scattering Oak: & Hardw.

Cast On a Random between Sec. 17 & 20.

0 75. Enter loblolly

3. 00 Lease Dr.

8. 18. To Yellow River 200 links wide. Cr. South.

20. 68. Intersect the N. & Y. line. 41. links South of the Post.  
Sandy Oak & Ash Timber. Oak.

MSA Corrected Between Dec. 17 & 20.

20. 08. To Sec. Corner.

West On a Random between Sec. 18 & 19.

79. 21. Intersect the West Boundary 70 links South of the Post. in Indian Village.

Land Rolling & second rate. Timber, scattering Oak and Hickory.

East Corrected between Sec. 18 & 19.

39. 21. Set a 9<sup>th</sup> Sec. post. from which a

Hickory 18. in. diam. bears N 30. W 102. links dist. & a  
W. Oak 24. " " " S 36. E. 207. " "

79. 21. To Sec. Corner.

Note The reason why no bearings were taken on the E. side of the Range line, was that the timber was all killed by the Indians.

North Between Sec. 17 & 18.

4. 31. To Yellow River 1. 80. links wide. Cor. S. E.

6. 58. Out on the same side.

30. 00 A Saw mill 25. links west of the line.

34. 25 A W. Oak 18. in. diam.

40. 00 Set a 9<sup>th</sup> Sec. post from which a

B. Oak 18. in. diam. bears S. 3 1/4. E. 134. links dist. & a  
Hickory 6. " " " N. 24. W. 76. " "

50. 00 To Yellow River. 210 links wide. Cor. A little E. of S.

80. 00 Set a Post. Cor. to Sec. 7. & 17. 18. from which an  
B. Oak 20. in. diam. bears S. 61. W. 15. links dist. & a  
Poplar 22. " " " N. 40. E. 18. " "

Land 3<sup>rd</sup> rate West of the River Timber Oak & Hickory  
East of the River. Oak. Ash & Walnut. Poplar. Land,  
2<sup>nd</sup> rate.

East On a Random between Sec. 8 & 17.

20. 41. Intersect the E. Boundary of the Reserve 2. 54. links South of the Post.

Land gradually ascending from the River. Soil 1<sup>st</sup> rate.  
Timber, Poplar. Walnut & Oak. Undergr<sup>nd</sup> Hoar<sup>se</sup>. &  
Grape vines Matting most outrageously

West Connected Between Sec. 8. & 7.  
21. 40. To Sec. Corner. July 16. 1837.

West On a Ransom between Sec. 7. & 18.  
15. 50 To Yellow River 1.60 links wide. Cor. South.  
79. 38. Intersect the West Boundary. 126. links South of the Post.  
Bearings for Sec. 7. & 18.  
A B. Oak 22. in. diam. bears S. 7. E 153. links dist. & a  
" Do 18. " " " N. 87 1/4 E. 297. " "  
Land a little Rolling & 3<sup>rd</sup> rate Barren. Timber Oak.  
& Hickory.

East Connected between Sec. 7. & 18.  
5. 08. A B. Oak 20. in. diam.  
39. 38. Set a post from which a  
B. Ash 24. in. diam. bears N. 40. E. 17. links dist. & a  
" Do 18. " " " N. 19. W. 62. " "  
79. 38. To Sec. Corner.

North Between Sec. 7. & 8.  
15. 55. A Lynn 12. in. diam.  
21. 98. A Red Oak 30. " "  
37. 80. A W. Oak 24. " "  
40. 00 Set a post from which a  
W. Oak 20. in. diam. bears S. 39. E. 14. links dist. & a  
" Do 20. " " " N. 10. W. 15. " "  
44. 50 To Yellow River 175. links wide. a little West of South.  
52. 00 Out on the same side.  
64. 42 To Yellow River 180. links wide. Cor. S. W.  
80. 00 Set a Post Cor. of Sec. 5. 6. 7. & 8. from which a  
Cherry 6. in. diam. bears South 3.85. links dist. & a  
Saparas 4. " " " N. 29. W. 17. " "



Twp. N. R. 2. E. 2<sup>nd</sup> Mer. Indiana

Sand on the South  $\frac{1}{2}$  mile; first rate. Timber. Poplar, Walnut & Oak. North  $\frac{1}{2}$  miles. Sloughs & most outrageous places along the River.

East On a Random between Sec. 5. & 8.  
 0. 05. To Yellow River 150 links wide - very deep. Cor. S. & E.  
 20. 29. Intersect the N. & S. line. or E. Boundary of the Reserve,  
 164 links S. of the Post.  
 Sand Sloughs of Yellow River.

West Corrected between Sec. 5. & 8.  
 20. 29. To Sec. Corner.

West On a Random between Sec. 6. & 7.  
 79. 74 Intersect the West Boundary 149 links South of the Post.  
 Bearings for Sec. 6. & 7.  
 A B. Oak 19 in. diam. bears N. 56. E. 26 links dist. & a  
 " Do 24 " " " S. 22. E. 118 " "  
 Sand Rolling & 3<sup>rd</sup> rate Barrens, Timber scattering  
 Oak & Hickory.

East Corrected Between Sec. 6. & 7.  
 39. 74. Set a 9<sup>th</sup> Sec. post. from which a  
 Hickory 10 in. diam. bears N. 3. E. 12 links dist. & a  
 B. Oak 5 " " " S. 12. W. 38. " "  
 79. 74 To Sec. Corner.

North Between Sec. 5. & 6.  
 1. 10. To Yellow River 1.57 links wide. Cor. S. & E.  
 11. 55 " Do Do 2.00 " " " West.  
 & high Banks  
 26. 45. A B. Oak 18 in. diam.  
 34. 00 Enter Mt. Prairie. Cor. E. & W.  
 39. 00 Leave " Do.  
 40. 00 Set a 9<sup>th</sup> Sec. post. from which a  
 B. Oak 18 in. diam. bears N. 48. W. 47 links dist. & a

Hickory 10. in. diam. bears N. 66. E. 40. links dist.  
 45. 00 Road from Plymouth to Michigan City  
 51. 87. A B. Oak 13. in. diam.  
 82. 15. A B. Oak 15. " "  
 84. 00. Intersect the Town line at Post  
 A B. Oak 20. in. diam. bears S. 43. W. 22. links dist. the  
 " Do 21. " " " S. 63. E. 32. " "  
 Land 5. rate Barrens. Timber scattering Oak & Hick.  
 July. 16. 1837

Meanders of the Most Easterly Lake of the Three Sisters.  
 Beginning on the North side. at Post. 4. 64. links South  
 of Cor. of Sec. 18. 19. in the West Boundary. or Range  
 line. War. 5. 30 E.

Course	Dist.	In Sec. 19.
S. 79. E.	5. 00	
N. 88 E.	6. 50.	
S. 52 E.	9. 00	
S. 75. E.	9. 50.	
S. 77 E.	5. 50	
S. 48. E.	9. 00	
N. 81. E.	8. 00	
N. 73. E.	7. 00	
S. 79. E.	12. 50.	
S. 39. E.	7. 50.	
S. 33. W	7. 64.	
S. 51. W.	4. 50.	
S. 59. W.	7. 00	At 4. 23. links Under Hough. 30. dks. wide from E.
N. 46 W	5. 00	
N. 67 W	9. 00	
N. 9. W	7. 50.	
N. 40 W.	6. 50.	
N. 55 W.	6. 00	
N. 82. W	3. 00	
S. 82 W	4. 00	
S. 55 W	2. 00	

T. 33. N. R. 2. E. 2<sup>nd</sup> Mer. Ind.N. 58<sup>th</sup> 11. 50.S. 88<sup>th</sup> 4. 50.N. 88<sup>th</sup> 4. 41. To Post in Range line.

I hereby Certify that in pursuance of a Contract with Robert F. Lytle, Surveyor General of the United States for the States of Ohio, Indiana, and the Territory of Michigan, bearing date the 27<sup>th</sup> day of May 1857, and in strict conformity to the Laws of the United States, and the Instructions of the said Surveyor General, I have surveyed & subdivided into Sections, that part of Menominee's Reserve, lying in Town N. 33. North of Range N. 2. East of the 2<sup>nd</sup> Mer. in the State of Indiana, and I do further Certify that the foregoing are the true and original Field Notes of the said Survey and Subdivisions, executed as aforesaid. Certified this 17<sup>th</sup> day of July, 1857.

Jeremiah Smith  
Deputy Surveyor.

Benjamin — }  
William Wright } Chainmen.  
Jonathan <sup>the</sup> Ruble Marker.

South on true line between Sec. 9 & 10

2.38 a R. Oak 26 in. dia.

3.92 set post on the N. side of Sec. N. 14 Michigan Road Lands, from which

a Maple 20 in. dia bears N 43 E 27 1/2 m. dist &

a W. Oak 22 " " " N 47 W 24 " "

Measured West 15 1/2 hrs. 69 m. to S.E. cor. of Sec. 13

M. R. L. — 3. rate Oak land

West on true line between Sec. 4 & 9

5.46 a R. Oak 30 in. dia.

11.25 enter wet Prairie

15.70 set post on E. side of Sec. 13 Michigan Road Lands from which

a W. Oak 24 in. dia bears S 76 E 32 1/2 m. dist &

a Do 20 " " " N 77 E 47 1/2 " "

Measured 3.97 hrs. South to the cor. &

Except Prairie, land 3 rate, timber Oak &

North between Sec. 3 & 4

8.78 a W. Oak 26 in. dia.

19.04 a Do 22 " "

23.50 enter wet Prairie

36.00 leave Do

40.00 set g. sec. post from which

a Sugar 30 in. dia bears N 24 E 4 m. dist &

a Poplar 23 " " " S 59 W 41 " "

44.50 enter wet Prairie

63.10 leave Do

71.50 enter Willow Swamp

84.92 Intersect N. Boundary 9 m. W. of post —

set post at intersection cu. of Sec. 3 & 4 from which

a W. Oak 16 in. dia bears S 87 W 40 1/2 m. dist &

a Willow 4 " " " S 67 E 31 " "

Land wet Prairie & Oak ridges, some Sugar & Poplar



I certify that the foregoing transcript of Field Notes of the survey of Township N. 33 North, in Range N. 2 East of the 2<sup>d</sup> Principal Meridian, in the State of Indiana, has been compared with the original on file in this office, and found to be correct.

Surveyor General's Office,  
Cincinnati, January 7, 1843 }

William Johnston  
Sur. Genl.